

## Veröffentlichungen

### *Publications*

- Almajid, A. A.; Friedrich, K.; Floeck, J.; Burkhart, T.: Surface Damage Characteristics and Specific Wear Rates of a New Continuous Carbon Fiber (CF) / Polyetheretherketone (PEEK) Composite under Sliding and Rolling Contact. *Applied Composite Materials*, (2011) 18, S. 211-230
- Arnold, A.: Prozesssimulation RTM. AVK-Aufbau-seminar, Frankfurt, 7. Juni 2011
- Arnold, A.: RTM Prozesssimulation. AVK-Aufbau-seminar, Mannheim, 29. November 2011
- Balle, F.; Schmeer, S.; Wagner, G.: Mechanische Charakterisierung ultraschall-geschweißter Aluminium/CFK-Verbunde. *MP – Materials Testing, Materials Testing*, Vol. 53, S. 7-13
- Bayerl, T.; Mitschang, P.: Heating of Polymer-Polymer Composites by Inductive Means. *Proceedings, ICCM 18*, Jeju, Korea, 21.-26. August 2011, CD-ROM
- Bittmann, B.; Hauptert, F.; Schlarb, A.K.: Preparation of TiO<sub>2</sub>/Epoxy Nanocomposites by Ultrasonic Dispersion and their Structure Property Relationship. *Ultrasonics Sonochemistry* 18 (2011), S. 120-126
- Botelho, E. C.; Edwards, E. R.; Bittmann, B.; Burkhart, T.: Dispersing Carbon Nanotubes in Phenolic Resin Using an Aqueous Solution. *Journal of the Brazilian Chemical Society*, Vol. 22, No. 11, 2011, S. 2040-2047
- Breuer, U.: Airframe Structure Technology – Quo Vadis? *International Workshop on Advanced Materials*, Sydney, Australien, 19.-20. Januar 2011
- Brzeski, M.; Bayerl, T.; Mitschang, P.: Comparison of Methods to Detect Thermal Degradation of Short-Time Heated Carbon Reinforced Thermoplastic Composites. *5th Asia-Europe Symposium on Processing and Properties of Reinforced Polymers*, Dresden, 29. Mai - 1. Juni 2011
- Burkhart, T.: Tribologische Charakterisierung von Polymerkompositen unter Trocken- und Grenzreibung. *Tribologie Meeting 2011, NMI Workshop*, Reutlingen, 18.-19. Mai 2011
- Burkhart, T.; Friedrich, K.: The use of chemical nanotechnology to produce tailor-made nanocomposites based on polymer matrices. *European Congress and Exhibition on Advanced Materials and Processes*, Montpellier, Frankreich, 12.-15. September 2011
- Castellà, N.; Grishchuk, S.; Karger-Kocsis, J.; Schehl, M.: Hybrid Thermosets from Polyisocyanate/Water Glass/Emulsifier Systems: Effects of Melamine-Formaldehyde Resin. *Journal of Applied Polymer Science* 119 (2011), S. 7-14
- Chang, L.; Friedrich, K.; Schlarb, A. K.; Tanner, R.; Ye, L.: Shear Thickening Behaviour of Concentrated Polymer Dispersions under Steady and Oscillatory Shear. *J. MATER. SCI.* 46 (2011), S. 339-346
- Christmann, M.: Thermoplastic Fibre Reinforced Composite Materials for Structural Applications in Car Body Manufacturing. *Materialien des Karosseriebaus 2011*, Bad Nauheim, 10.-11. Mai 2011
- Christmann, M.; Mitschang, P.: Influence of Inhomogeneous Tool Temperature on the Impregnation Pressure of the Continuous Compression Molding Process. *Proceedings, ICCM 18*, Jeju, Korea, 21.-26. August 2011, CD-ROM
- Deinzer, G.; Breuer, U.: Lightweight Requirements and Potentials from an Automotive Industry and Science Point of View. *Fortschritt-Berichte VDI, Reihe 12*, Nr. 745, 2011, VDI Verlag Düsseldorf
- Didi, M.; Mitschang, P.: Development of a Spot Welding Device for Hybrid Structures Metal/Fibre-Reinforced-Plastic. *Fügen im Karosseriebau 2011*, Bad Nauheim, 12.-14. April 2011
- Didi, M.; Mitschang, P.: Diskontinuierliches Induktionsschweißen von CF/PEEK und CF/PA66 mit Aluminium. *CC e.V. Arbeitskreis Herstellverfahren*, Augsburg, 13. Mai 2011
- Didi, M.; Mitschang, P.: Fügetechnologien für thermoplastische Faser/Kunststoff-Verbunde. *CC e.V. Fachtagung Fertigungslösungen entlang der Prozesskette*, Augsburg, 17. November 2011
- Didi, M.; Mitschang, P.: Potenzial faserverstärkter Thermoplaste - Schweißen und Hybridverbindungen. *Industrieforum Blech*, Göppingen, 24. November 2011
- Duhovic, M.; Mitschang, P.; Bhattacharyya, B.: Modelling approach for the production of stitch influence during woven fabric draping. *Composites Part A* (2011), S. 968-978
- Duhovic, M.; Mitschang, P.; Bhattacharyya, D.: Constituent Based Modeling for Simulation of yarn

- and stitch interactions during woven composite prepreg stamping. Proceedings, PFAM19, Auckland, New Zealand, 14.-17. Januar 2011, CD-ROM
- Feng, Q. P.; Shen, X. J.; Yang, J. P.; Fu, S. Y.; Mai, Y. W.; Friedrich, K.: Synthesis of Epoxy Composites with High Nanotube Loading and Effects of Tubular and Wavy Morphology on Composite Strength and Modulus. 52 POLYMER (2011), S. 6037-6045
  - Friedrich, K.; Burkhart, T.; Almajid, A. A.: Rolling Wear Behavior of Selected Engineering Polymers and Composites. Proceedings, GfT Conference 2011, Göttingen, 26.-28. September 2011, S. 18/1 – 18/16
  - Friedrich, K.; Chang, L.; Hauptert, F.: Current and Future Applications of Polymer Composites in the Field of Tribology. In: L. Nikolais, M. Meo, E. Mileta (eds.): Composite Materials, Springer, New York, USA, 2011, <http://www.springer.com/materials/special+types/book/978-0-85729-165-3>
  - Friedrich, K.; Knör, N.; Almajid, A. A.: Influence of Processing Technology and Material Composition on Structure and Properties of Thermoplastic Nanocomposites Used in Tribo-Applications. Proceedings, XIX Symposium Processing and Fabrication of Advanced Materials, Auckland, Neuseeland, 14.-17. Januar 2011, (Eds: D. Bhattacharyya, R.J.T. Lin, T.S. Srivatsan), S. 739-750
  - Friedrich, K.; Sue, H.-J.; Peng, L.; Almajid, A. A.: Scratch Resistance of High Performance Polymers. TRIBOL. Int. 44 (2011), S. 1032-1046
  - Friedrich, K.; Almajid, A. A.; Noll, A.; Burkhart, T.: Effect of Thermal Treatment on Hardness and Fracture Toughness of Poly-Para-Phenylene-Copolymer (PPP). Journal of Materials Science, 46, (2011), S. 1714-1722
  - Gil, Y.; Jung, G.; Christmann, M.; Kim, H.: New Material Development for Large Scale Production in Automotive Sector. Proceedings, ICCM 18, Jeju, Korea, 21.-26. August 2011, CD-ROM
  - Grishchuk, S.; Gryshchuk, O.; Weber, M.; Karger-Kocsis, J.: Structure and toughness of polyethersulfone (PESU)-modified anhydride-cured tetrafunctional epoxy resin: Effect of PESU molecular mass. Journal of Applied Polymer Science, published online: 12. August 2011, DOI: 10.1002/app.34610
  - Grishchuk, S.; Karger-Kocsis, J.: Hybrid Thermosets from Vinyl Ester Resin and Acrylated Epoxidized Soybean Oil (AESO). eXPRESS Polymer Letters, Vol. 5, No. 1, (2011), S. 2-11
  - Grishchuk, S.; Leanza, R.; Kirchner, P.; Karger-Kocsis, J.: "Greening" of unsaturated polyester resin-based bulk molding compound with acrylated epoxidized soybean and linseed oils. Journal of Reinforced Plastics and Composites, published online: 21. Dezember 2011, DOI: 10.1177/0731684411421541
  - Grishchuk, S.; Mbhele, Z.; Schmitt, S.; Karger-Kocsis, J.: Structure, thermal and fracture mechanical properties of benzoxazine-modified amine-cured DGEBA epoxy resins. eXPRESS Polymer Letters, Vol. 5, No. 3, (2011), S. 273-282
  - Grishchuk, S.; Schmitt, S.; Vorster, O. C.; Karger-Kocsis, J.: Structure and Properties of Amine-Hardened Epoxy/Benzoxazine Hybrids: Effect of Epoxy Resin Functionality. Journal of Applied Polymer Science, published online: 3. November 2011, DOI: 10.1002/app.35302
  - Gurka, M.; Petricevic, R.; Schneider, S.; Ulrich, S.: Characterization of Step Response Time and Bandwidth of Electrorheological Fluids. Journal of Intelligent Material Systems and Structures, published online 10. Oktober 2011, DOI: 10.1177/1045389X11425280
  - Gyurova, L. A.; Jiang, Z.; Schlarb, A. K.; Friedrich, K.; Zhang, Z.: Study on the Wear and Friction of Short Carbon Fiber and / or Nano-TiO<sub>2</sub> Reinforced Polyphenylene Sulfide Composites using Artificial Neural Networks. In Friction, Wear and Wear Protection (eds. A. Fisher and K. Bobzin), Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, published online: 3. Februar 2011, DOI: 10.1002/9783527628513.ch52
  - Gyurova, L. A.; Friedrich, K.: Artificial Neural Networks for Predicting Sliding Friction and Wear Properties of Polyphenylene Sulfide Composites. TRIBOL. Int. 44 (2011), S. 603-609
  - Hassinger, I.; Burkhart, T.: Multiple Extrusion and Dilution of Nanocomposites and their Effect on the Mechanical Properties. Journal of Thermoplastic Composite Materials. published online: 22. August 2011, DOI: 10.1177/0892705711412646

## Veröffentlichungen

### *Publications*

- Hassinger, I.; Burkhart, T.: Multiple Extrusion and Dilution of TiO<sub>2</sub>-Nanocomposites and their Effect on the Mechanical Properties. EUROFILLERS 2011, Dresden, 21.-25. August 2011
- Hellmann, A.; Ripperger, M.; Berges, M.; Sticher, S.; Burkhart, T.: Characterisation of Particles Produced by Abrasion of Nanocomposites with a Grinding Machine. EAC 2011 Manchester, European Aerosol Conference, 4.-9. September 2011
- Heß, H.; Himmel, N.: Structurally stitched NCF CFRP laminates. Part 1: Experimental characterization of in-plane and out-of-plane properties. Composites Science and Technology 71 (2011), S. 549-568, DOI:10.1016/j.compscitech.2010.11.012
- Heß, H.; Himmel, N.: Structurally Stitched NCF CFRP Laminates. Part 2: Finite element unit cell based prediction of in-plane strength. Composites Science and Technology 71 (2011), S. 569-585, DOI:10.1016/j.compscitech.2010.11.011
- Hildebrandt, K.: Development of organic sheets for online-varnishing processes. CNT-Jahreskongress, Ettlingen, 25.-27. Januar 2011
- Hildebrandt, K.; Mitschang, P.: CarboCar: Elektrisch leitfähige thermoplastische Faserverbundwerkstoffe mit Potential. Wing Konferenz, Berlin, 6. Oktober 2011
- Hildebrandt, K.; Mitschang, P.: Effect of Incorporating Nanoparticles in Thermoplastic Fiber-Reinforced Composites on the Electrical Conductivity. Proceedings, ICCM 18, Jeju, Korea, 21.-26. August 2011, CD-ROM
- Hildebrandt, K.; Rieber, G.: Enhancement of Fiber Reinforced Plastics by CNTs - Thermoset and Thermoplastic Matrices. Innovative International Composites Summit, Paris, Frankreich, 30. März 2011
- Himmel, N.; Heß, H.: Mechanical properties of structurally stitched non-crimp fabric composites. In: S. V. Lomov (ed.) Non-crimp fabric composites – Manufacturing, properties and applications. Sawston (Woodhead Publ. Ltd.), 2011
- Holschuh, R.; Mitschang, P.; Schledjewski, R.: Controlled Influence of Component Properties Using Hybrid Techniques by Combining Different Lightweight Structures. Proceedings, ICCM 18, Jeju, Korea, 21.-26. August 2011, CD-ROM
- Knör N.; Walter R.; Hauptert F.: Mechanical and Thermal Properties of Nano-Titanium Dioxide Reinforced Polyetheretherketone Produced by Optimized Twin Screw Extrusion. Journal of Thermoplastic Composite Materials, Vol. 24/2 (2011), S. 185-205, DOI: 10.1177/0892705710369867
- Korres, S.; Soroehynska, L.; Grishchuk, S.; Karger-Kocsis, J.: Swelling, Compression and Tribological Behaviors of Bentonite-Modified Polyacrylate-Type Hydrogels. Journal of Applied Polymer Science 119, (2011), S. 1122-1134, DOI: 10.1002/app.32706
- Kravaev, P.; Seide, G.; Gries, T.; Hassinger, I.; Burkhart, T.: Nano-modified PA 6 yarns for technical applications. Technical Textile 54 (2011), H. 2, S. E42-E44
- Kravaev, P.; Seide, G.; Gries, T.; Hassinger, I.; Burkhart, T.: Nano-modified thermoplastic preforms for the manufacturing of composite structures. ICCM-18, 18th International Conference on Composite Materials, Jeju Island, Korea, 21.-26. August 2011
- Priebe, M.; Schledjewski, R.: Processing and properties of glass/polypropylene in long fibre compounding extrusion. Plastics Rubber and Composites, Vol. 40, No. 6, September 2011, S. 374-379
- Mack, J.; Mitschang, P.; Schledjewski, R.: Cost Comparison of Different Thermoplastic and Thermoset Filament Winding Processes. Proceedings, SAMPE 2011, Long Beach, USA, 23.-26. Mai 2011, CD-ROM
- Medina, L.: Naturfasern in Automobilanwendungen - Trends national und international. Biocomposites - natürliche Innovation aus RLP, IVW GmbH, Kaiserslautern, 1. Dezember 2011
- Miaris, A.; Päßler, M.; Schledjewski, R.; Mitschang, P.: Modeling the Impregnation Process of a Siphon Impregnation System during Filament Winding. Proceedings, ASME 2011 Pressure Vessels and Piping Conference, Baltimore, USA, 17.-21. Juli 2011, CD-ROM
- Miaris, A.; Päßler, M.; Mitschang, P.: Efficient Energy Storage by Composite Pressure Vessels. Energie Workshop der Science Alliance Kaiserslautern e.V., Kaiserslautern, 25. November 2011
- Mitschang, P.: Innovationsallianz CNT: A novel public-private partnership to enter new markets

- for CNT. 2nd Innovative International Composites Summit, Paris, Frankreich, 29.-31. März 2011
- Mitschang, P.: Prozesskette zur Herstellung textilverstärkter Thermoplaste. 4a engineering GmbH, Technologietag 2011 Leichtbau auf dem Prüfstand, Pichl, Österreich, 3.-4. März 2011
  - Mitschang, P.: Verarbeitungsoptionen für naturfaserverstärkte Kunststoffe. Biocomposites - natürliche Innovation aus RLP, IVW GmbH, Kaiserslautern, 1. Dezember 2011
  - Mitschang, P.; Christmann, M.; Bierer, M.; Steeg M.: Intervallheißpressen - Geschlossene Hutprofile kontinuierlich herstellbar. MM Composites World, Sonderausgabe Oktober 2011, S. 18-20
  - Mitschang, P.; Christmann, M.; Didi, M.; Hildebrandt, K.; Holschuh, R.; Mack, J.: Herausforderungen bei der Verarbeitung kontinuierlich faserverstärkter Thermoplaste. 20. Leobener Kunststoff-Kolloquium, Schriftenreihe Kunststofftechnik Leoben, Band 1, Univ.-Prof. Dr.-Ing. Ralf Schledjewski (Hrsg.), ISBN 978-3-9503248-0-8, S. 1-11, Leoben, Österreich, 10.-11. November 2011
  - Mitschang, P.; Christmann, M.; Moser, L.: Joining of High Performance Thermoplastic Composites. Proceedings, PFAM19, Auckland, New Zealand, 14.-17. Januar 2011, CD-ROM
  - Mitschang, P.; Hildebrandt, K.: Verarbeitung von CNTs in Hochleistungsverbundwerkstoffen und deren Einsatzmöglichkeiten. Fachtagung Nano-Kohlenstoff, Augsburg, 22. September 2011
  - Mitschang, P.; Miaris, A.; Rieber, G.; Didi, M.: Schlüsseltechnologien für eine automatisierte FKV-Fertigung. Tagungsband, Internationale AVK Tagung, Stuttgart, 26.-27. September 2011, CD-ROM
  - Narnhofer, M.; Schledjewski, R.; Mitschang, P.: Simulation des kontinuierlichen Schweißprozesses. 20. Leobener Kunststoff-Kolloquium, Schriftenreihe Kunststofftechnik Leoben, Band 1, Univ.-Prof. Dr.-Ing. Ralf Schledjewski (Hrsg.), ISBN 978-3-9503248-0-8, S. 19-28, Leoben, Österreich, 10.-11. November 2011
  - Noll, A.; Burkhart, T.: Morphological characterization and modeling of electrical conductivity of multi-walled carbon nanotube/poly(p-phenylene sulfide) nanocomposites obtained by twin screw extrusion. Composites Science and Technology, Vol. 71, No. 4, 2011, S. 499-505
  - Noll, A.; Burkhart, T.; Breuer, U.: Comparative Study of Mechanical and Electrical Properties of MWNT and SCF Reinforced PPS. Asia-Europe Symposium on Processing and Properties of Reinforced Polymers, Dresden, 29. Mai - 1. Juni 2011
  - Päßler, M.; Miaris, A.; Schledjewski, R.; Mitschang, P.: Ring Winding Technology - Increased Process Efficiency and Effects on the Mechanical Properties of Ring Specimens. Proceedings, ASME 2011 Pressure Vessels and Piping Conference, Baltimore, USA, 17.-21. Juli 2011, CD-ROM
  - Pohl, T.; Bierer, M.; Natter, E.; Madsen, B.; Hoydonckx, H.; Schledjewski, R.: Properties of compression moulded new fully bio-based thermoset composites with aligned flax fibre textiles. Plastics, Rubber and Composites, Vol. 40, No. 6/7 (2011), S. 294-299
  - Rieber, G.: CarboRoad - From process development to a seat post and a rotor blade segment. CNT-Jahreskongress, Ettlingen, 25.-27. Januar 2011
  - Rieber, G.; Grieser, T.; Mitschang, P.: Processing and evaluating CNT doped laminates. Proceedings, SAMPE 2011, Long Beach, USA, 23.-26. Mai 2011, CD-ROM
  - Grishchuk, S.; Castellà, N.; Apostolov, A. A.; Karger-Kocsis, J.: Structure and Properties of Vinyl Ester Resins Modified with Organophilic Synthetic Layered Silicates Bearing Non- and Co-reactive Intercalants. Journal of Composite Materials, published online: 15. August 2011, DOI:10.1177/0021998311413311
  - Schmeer, S.; et al.: Experimentelle Untersuchungen an kontinuierlich/diskontinuierlich verstärkten FKV-Bauteilen. Bei „Kombination von Thermoplast-Spritzguss und kontinuierlich faserverstärkten Thermoplasten (Spriform)“, Abschlussveranstaltung, 24. November 2011, München
  - Schuck, M.; Hildebrandt, K.: Weiterentwicklung von Verarbeitungsprozessen nanomodifizierter Faserverbundwerkstoffe: Umformbarkeit und Oberflächeneigenschaften. 4. NRW Nano-Konferenz, Dortmund, 18. Oktober 2011
  - Sharma, M.; Bijwe, J.; Singh, K.; Mitschang, P.: Exploring potential of Micro-Raman spectroscopy for

## Veröffentlichungen *Publications*

- correlating graphitic distortion in carbon fibers with stresses in erosive wear studies of PEEK composites. *WEAR* 270 (2011), S. 791-799
- Walter, R.; Burkhart, T.: Optimierung der Verschleiß-eigenschaften von kohlenstofffaserverstärktem PEEK mit nano- und submikroskaligen Füllstoffen hergestellt durch effektive Extrusionsprozesse. *Tribologie und Schmierungstechnik*, 58. Jahrgang, 3/2011, S. 28-33
  - Warnecke, M.; Kravaev, P.; Seide, G.; Gries, T.; Has-singer, I.; Burkhart, T.: Faserbasierte Hochleistungs-werkstoffe. *Werkstoffe in der Fertigung: Fach-zeitschrift für technische Führungskräfte* 22, (2011), H. 2, S. 7-8
  - Weiland, F.; Beier, U.; Weimer, C.; Mitschang, P.: Ultrasonic Welding Application in Preform Auto-mation. *Proceedings, SEICO 11*, Paris, Frankreich, 28.-29. März 2011
  - Weiland, F.; Weimer, C.; Mitschang, P.: Ultrasonic Welding of Carbon Fiber Preforms: Process and Mechanisms. *Proceedings, SAMPE 2011*, Long Beach, USA, 23.-26. Mai 2011, CD-ROM
  - Zhang, G.; Burkhart, T.: Synergetic Effect of Multiple Fillers on the Tribological Performance of Polyether-etherketone under Dry Sliding Conditions. *DGM conference: European Symposium on Friction, Wear, Wear Protection and Related Areas*, Karlsruhe, 26.-28. Oktober 2011
  - Zhang, G.; Rasheva, Z.; Karger-Kocsis, J.; Burkhart, T.: Synergetic role of nanoparticles and micro-scale short carbon fibers on the mechanical profiles of epoxy resin. *eXPRESS Polymer Letters*, Vol. 5, No. 10 (2011), S. 859-872
  - Zhou, R. J.; Burkhart, T.: Polypropylene/SiO<sub>2</sub> nano-composites filled with different nanosilicas: thermal and mechanical properties, morphology and interphase characterization. *Journal of Materials Science*, 46, (2011), S. 1228-1238
  - Zhou, R. J.; Burkhart, T.: Thermal and mechanical properties of poly(ether ester)-based thermoplastic elastomer composites filled with TiO<sub>2</sub> nanoparticles. *Journal of Materials Science*, 46, (2011), S. 2281-2287

## Poster

- Hanitzsch, N.; Noll, A.: "CarboDis" Thermoplastics. *Inno.CNT-Jahreskongress*, Ettlingen, 25.-27. Januar 2011
- Kraveav, P.; Wulfhorst, J.; Seide, G.; Gries, T.: NanoOrgano-drapable preforms from nano-modified hybrid yarns for the production of thermoplastic composites. *JEC Paris 2011*, Paris, Frankreich, 29.-31. März 2011
- Pfeiffer, N.; Burkhart, T.; Wetzel, B.: Synthesis of nano and submicro particles via top-down method. *JEC Paris 2011*, Paris, Frankreich, 29.-31. März 2011
- Burkhart, T.; Grishchuk, S.: Fire retardant nanocomposite with improved mechanical properties. *JEC Paris 2011*, Paris, Frankreich, 29.-31. März 2011
- Rieber, G.; Mitschang, P.: CarboRoad: Entwicklungsarbeiten zur Verarbeitung von CNT-dotierten Harzen über Infusions- und Injektionsverfahren. *Wing Konferenz*, Berlin, 6. Oktober 2011
- Hildebrandt, K.; Mitschang, P.: CarboCar - Elektrisch leitfähige thermoplastische Faserverbundwerkstoffe mit Potential. *Wing Konferenz*, Berlin, 6. Oktober 2011
- Rieber, G.; Mitschang, P.: CarboRoad – CNT Doped Structural Parts Produced by Infusion Processes. *CNT-Jahreskongress*, Ettlingen, 25.-27. Januar 2011
- Hildebrandt, K.; Mitschang, P.: CarboCar - From raw materials to components – Illustration of the process chain for the production of CNT-modified thermoplastic fiber-reinforced composites. *CNT-Jahreskongress*, Ettlingen, 25.-27. Januar 2011
- Bayerl, T.; Mitschang, P.: Resource-Efficient Self-Reinforced Plastic Materials and Processing. *JEC*, Paris, Frankreich, 29.-31. März 2011
- Referierte Zeitschriften / *peer-reviewed papers*